

Dutral® CO 043

Ethylene Propylene Diene Terpolymer

Versalis S.p.A.

Message:

Dutral ® CO 043 is an Ethylene - Propylene polymer produced by suspension polymerisation using a Ziegler-Natta Catalyst at the Ferrara production facility in Italy.

A non-staining antioxidant is added during the production process.

Key Features

Dutral® elastomers are characterized by excellent resistance to ageing and weathering, good resistance to both high and low temperatures, low permanent set values, good resistance to a large number of chemicals.

Dutral® CO 043 is an amorphous, low molecular weight copolymer. It may be used in applications that require superior low temperature behaviour.

Main Applications

Automotive, cables, appliances, polymer modification, oil viscosity modifier, bitumen modification.

General Information		
Additive	Antioxidant	
Features	Amorphous	
	Antioxidant	
	Copolymer	
	Good Chemical Resistance	
	Good Weather Resistance	
	High Heat Resistance	
	Low Molecular Weight	
	Low Temperature Resistant	
Uses	Appliances	
	Asphalt Modification	
	Automotive Applications	
	Plastics Modification	
	Wire & Cable Applications	
Forms	Bale	
Physical	Nominal Value	Unit
Mooney Viscosity (ML 1+4, 100°C)	33	MU
Ash Content	< 0.3	wt%
Propylene Content	45.0	wt%
Volatiles	< 0.7	wt%

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection.All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

