Hostacom BB 1161 F M D33086

Polypropylene Copolymer

LyondellBasell Industries

Message:

Hostacom BB 1161 F M D33086 is a high melt flow, mineral filled, UV resistant polypropylene copolymer. The product ehaibits excellent processability and high stiffness. It has been designed for automotive interior applications.

The grade is available in custom colours and in pellet form.

| General Information | | | |
|--------------------------------------|--------------------------|-------|-----------------|
| Filler / Reinforcement | Mineral | | |
| Features | Copolymer | | |
| | Good Processability | | |
| | Good UV Resistance | | |
| | High Flow | | |
| | High Stiffness | | |
| | Medium Impact Resistance | | |
| | | | |
| Uses | Automotive Applications | | |
| | Automotive Interior Trim | | |
| | | | |
| Appearance | Colors Available | | |
| Forms | Pellets | | |
| Processing Method | Injection Molding | | |
| Physical | Nominal Value | Unit | Test Method |
| Density | 1.00 | g/cm³ | ISO 1183/A |
| Molding Shrinkage | 0.90 to 1.1 | % | Internal Method |
| Mechanical | Nominal Value | Unit | Test Method |
| Flexural Modulus ¹ (23°C) | 1800 | MPa | ISO 178 |
| Impact | Nominal Value | Unit | Test Method |
| Notched Izod Impact Strength (23°C) | 4.0 | kJ/m² | ISO 180/1A |
| NOTE | | | |
| 1. | 2.0 mm/min | | |

The information and data on this page are provided by manufacturers and document providers. SHANGHAI SUSHENG assumes no legal liability. It is strongly recommended to verify all technical data with material suppliers before final material selection. All rights belong to the original authors. If any infringement occurs, please contact us immediately.

Recommended distributors for this material

Susheng Import & Export Trading Co.,Ltd.

Tel: +86 21 5895 8519

Phone: +86 13424755533

Email: sales@su-jiao.com

No. 215, Lianhe North Road, Fengxian District, Shanghai, China

